


基礎 地中梁 伏図


S=1/200

富田小①-1・②-2




基礎 地中梁 伏図 S=1/200

富田小①-2



基礎図



柱状図

柱型別 1			
EW1, EW2, EW3, EW4	EW5, EW6, EW7, EW8	EW9, EW10	EW11, EW12
柱径 400	柱径 400	柱径 300	柱径 300
•G-22b 2-φ 1500	•4-22b 2-φ 1500	•4-19b 2-φ 1000	•3-10b 2-φ 1000
•G-22b 2-φ 1500	•4-22b 2-φ 1500	•4-10b 2-φ 1000	•3-10b 2-φ 1000
F1, F2, F3, F4		F5, F6, F7, F8	
柱径 400		柱径 300	
•5-10b 2-φ 1000	•3-10b 2-φ 1000	•3-10b 2-φ 1000	•5-10b 2-φ 1000
•5-10b 2-φ 1000	•3-10b 2-φ 1000	•3-10b 2-φ 1000	•5-10b 2-φ 1000
















1F以下 基礎埋込部参照 St. 鋼筋断面尺 φ4-300^e

杭: J-274, J-144
 土: 250
 径: 400
 間隔: 900
 刃渡: 400
 取付部参照 13/4 (取付)

富田小①-2 二期工事 建築工事
 柱状図 基礎図 比中架り入れ
 建築研究所
 17年5月27日
 一級建築士 12756号 近藤正夫

杭：J型
 長さ：4.500
 間隔：900
 打込深：400
 杭耐力：15T
 杭本数：196本

FW1A-FW2A 外端 内端中央 6-22φ 4-22φ	FW3-3A 外端 内端中央 4-19φ 3-10φ	FW5 外端 内端中央 6-22φ 4-22φ	FG1-FG1A 外端 内端中央 5-19φ 3-19φ	FG2-FG2A 外端 内端中央 3-19φ 6-22φ 4-22φ	FG3 外端 内端中央 6-22φ 4-22φ	FW4-FG4 外端 内端中央 4-19φ 3-19φ
1350 50 130 0.72φ 4.22φ	1300 130 130 4.19φ 3.19φ	1350 130 130 6.22φ 4.22φ	1300 130 130 5.19φ 3.19φ	1300 130 130 3.19φ 6.22φ 4.22φ	1350 130 130 6.22φ 4.22φ	1300 130 130 4.19φ 3.19φ



富田小学校新築工事	建築士
基礎伏基礎工事	2-1120
校舎建築研究所	3-1000
校舎建築研究所	3-1000